

I move to amend OR 23-080 by amending MSB 17.05.042(A)(3)(a) to read as follows:

(a) map or description of the route or routes;

I move to amend OR 23-080 by adding MSB 17.05.042(A)(3)(f) to read as follows:

(f) how the public can review more information on the proposed project and provide feedback such as a webpage and email address.

I move to amend OR 23-080 by amending MSB 17.05.042(A)(5) to read as follows:

(5) The meeting notification shall be made at least 15 calendar days prior to the pre-application meeting.

I move to amend OR 23-080 by amending MSB 17.05.042(B)(3) to read as follows:

(3) sign-in sheet(s) used at each meeting, that includes places for names of those in attendance with option to provide addresses, phone numbers, and other contact information such as email address;

I move to amend OR 23-080 by adding MSB 17.05.045(D) to read as follows:

(D) Limitations of Planning Commission. The commission may not impose conditions that require the essential service utility to be installed underground.

I move to amend OR 23-080 by amending MSB 17.05.048(B)(1) by removing the words ***and without substantially increasing installation or maintenance costs***. The paragraph will read as follows:

(1) To the extent that is technically and reasonably feasible, the location of the Type II essential service utility is such that its impacts on the visual and scenic resources of surrounding properties have been minimized.